BEST AVAILABLE COT

Atty. Dkt. No. 035394-0256

REMARKS

Applicant respectfully requests that the foregoing amendments be made prior to examination of the present application.

In the specification, paragraphs have been amended on pages 11, 12, 54, 55 and 60.

The Examiner is invited to contact the undersigned by telephone if it is felt that a telephone interview would advance the prosecution of the present application.

Respectfully submitted,

Date 8 November 2004

FOLEY & LARDNER LLP Customer Number: 22428

Telephone:

(202) 672-5404

Facsimile:

(202) 672-5399

Stephen A. Bent Attorney for Applicant

Registration No. 29,768

Amendments to the Drawings:

The drawing sheets attached in connection with the above-identified application containing Figure(s) 1-15C are being presented as a new formal drawing sheet or sheets to be substituted for the previously submitted drawing sheet or sheets. The drawing Figures 1-15C have been amended. Appended to this amendment is an annotated copy of the previous drawing sheets which has been marked to show changes presented in the replacement sheets of the drawings.

Appl. No.: 10/802,039

Chemistry Platform of Polymer Blenc

Ligand Functionalized Dextran

Photo-linker Modified Dextran



Blend



Fluorescent Labelled-

Un-modified Dextran

Dextran

Un-modified dextran (as a diluent of ligand functionalized dextran and/or photolinker modified dextran to adjust ligand and cross linker density)

Fluorescence labeled dextran

Figure 1

SAX-Copolymer Synthesis







Figure 4

Glycidyloxy)benzophenon

4-(Glycidyloxy)benzophenone

Benzophenone










Figure 8



Title: PHOTOCROSSLINKED HYDROGEL BLEND SURFACE COATINGS


Inventor(s): Wenxi HUANG et al. Appl. No.: 10/802,039





MEP Gel Coated







selective Binding/Washing of IgG on M


4gG is strongly bind to MEP


Albumin is washed off little more with hydrophobic detergent like Caprylate

Then by lowering pH to 4.5 where MEP becomes charged, IgG is washed of









This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
DOTHER: some porge deaning one dock

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.